

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	130	lamp.ti. and discharge with electrode with (hole apperture)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/29 05:11
S2	0	("2007/0159100").URPN.	USPAT	OR	OFF	2008/09/29 05:12
S3	10	("5063324" "5111109" "5142196").PN. OR ("1932025" "2784347" "5327045").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/29 05:23
S4	12	("20020195941" "3248586" "3248591" "3303377" "3930176" "4117367" "5327045" "6211615" "6437509").PN. OR ("7176632").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/29 05:25
S5	108	("1932025" "20020195941" "2216269" "2449113" "2709767" "2932882" "3054014" "3113234" "3189777" "3248586" "3248591" "3286337" "3303377" "3331685" "3404978" "3416919" "3430090" "3444415" "3471287" "3536945" "3577635" "3621322" "3633264" "3649224" "3650736" "3741755" "3911309" "3930176" "4113480" "4117367" "4122374" "4272703" "4347460" "4479074" "4765950" "5033939" "5063324" "5111109" "5142196" "5210463" "5304892" "5327045" "5774780" "6211615" "6437509").PN. OR ("1932025" "2784347" "3303377" "4117367" "5043627" "5327045" "5408160" "6211615" "7176632").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 19:24
S6	6	("3303377").URPN.	USPAT	OR	OFF	2009/03/26 19:41

S7	2	("1932025").URPN.	USPAT	OR	OFF	2009/03/26 19:52
S8	639	lamp.ti. and discharge and (cathode anode electrode) with (hole aperture bore)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 19:55
S9	1123	lamp.ti. and discharge and (cathode anode electrode) with (hole aperture bore)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 19:55
S10	17	lamp.ti. and discharge and (cathode anode electrode) with (hole aperture bore) with transvers\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 19:57
S11	0	("2007/0159100").URPN.	USPAT	OR	OFF	2009/03/26 19:58
S12	1	2005-512571.NRAN.	DERWENT	OR	OFF	2009/03/26 19:59
S13	1	"2,152,994".pn.	USPAT	OR	OFF	2009/03/26 20:09
S14	2	"2,152,994".pn.	USPAT; USOCR	OR	OFF	2009/03/26 20:23
S15	354	313/631-632,326.ccls. and (electrode cathode anode) with (hole aperture bore)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 20:40
S16	12	("5063324" "5111109" "5142196" "5327045"). PN. OR ("5408160"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 20:48
S17	6	("5063324" "5111109" "5142196").PN. OR ("5327045").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 20:51
S18	9	("3304456").URPN.	USPAT	OR	OFF	2009/03/26 21:27
S19	12	("20020195941" "3248586" "3248591" "3303377" "3930176" "4117367" "5327045" "6211615" "6437509"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 21:41

S20	12	("20020195941" "3248586" "3248591" "3303377" "3930176" "4117367" "5327045" "6211615" "6437509"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 22:29
S21	1	"10583915"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 22:44
S22	60	313/631-632,326.ccls. and (electrode cathode anode) with rounded with (end tip)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 23:48
S23	14	("3270232" "4475055" "4493003").PN. OR ("5331249").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 23:50
S24	1	"6139834".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/27 02:16
S25	1	"6139384".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/27 02:16

3/ 27/ 09 4:37:41 AM

C:\ Documents and Settings\ aperry\ My Documents\ EAST\ Workspaces\ 10583915.wsp